Cho, K. M., Yoo, Y. J., Kang, H. S.: δ-Integration of endo/exo-glucanase and β-glucosidase genes into the yeast chromosomes for direct conversion of cellulose to ethanol, 23
Chou, C.-C.: see Lee, M.-T.
Chung, I. S.: see Park, J. H.
Chung, J.: see Chartrain, M.
Cogan, T. M.: see Carroll, N. M.
Combes, D.: see Dossat, V.
Comeau, L.: see Hio, A.
Contreras, A., García, F., Molina, E., Merchuk, J. C.: Influence of sparger on energy dissipation, shear rate, and mass transfer to sea water in a concentric-tube airlift bioreactor, 820
Cooper, D. G.: see Barriga, J. A. T.
Corbo, M. R.: see Gobbetti, M.
Cortés, E.: see Alonso, J.
Costes, D., Wehtje, E., Adlercreutz, P.: Hydroxynitrile lyase-catalyzed synthesis of cyanohydrins in organic solvents. Parameters influencing activity and enantiospecificity, 384
Cowan, D. A.: see Almatawah, Q. A.
Crout, D. H. G.: see Scigelova, M.

Davey, C. L.: see Markz, G. H.
Davis, D. A., Lynch, H. C., Varley, L. J.: The production of Surfactin in batch culture by *Bacillus subtilis* ATCC 21332 is strongly influenced by the conditions of nitrogen metabolism, 322
Davoli, P., Forni, A., Moretti, I., Prati, F., Torre, G.: *(R)*-(+) and *(S)*-(−) ethyl 4,4,4-trifluoro-3-hydroxy butanoate by enantioselective Baker's yeast reduction, 149
De Angelis, M.: see Gobbetti, M.
de la Mata, I.: see Arroyo, M.
de Pomerai, D. I.: see Jewitt, N.
Dédaldéchamp, F., Uhel, C.: Induction of anthocyanin synthesis in nonpigmented grape cell suspensions by acting on DFR substrate availability or precursors level, 316
Delaunay, S., Gourdon, P., Lapujade, P., Mailly, E., Oriol, E., Engasser, J. M., Lindley, N. D., Goergen, J.-L.: An improved temperature-triggered process for glutamate production with *Corynebacterium glutamicum*, 762
Delgenès, J. P.: see Penaud, V.
Demain, A. L.: see Adrio, J. L.
Demirer, G. N.: see Yetiş, Ü.
Diekmann, H.: see Singh, S. A.
Díez, B.: see Alonso, J.
Dorado, J., Almendros, G., Camarero, S., Martínez, A. T., Vares, T., Hatakka, A.: Transformation of wheat straw in the course of solid-state fermentation by four ligninolytic basidiomycetes, 605
Dossat, V., Combes, D., Marty, A.: Continuous enzymatic transesterification of high oleic sunflower oil in a packed bed reactor: influence of the glycerol production, 194
Doyle, E. M., Noone, A. M., Kelly, C. T., Fogarty, W. M.: Comparison of the action pattern of two high maltose-forming α-amylases on linear maltooligosaccharides, 330
Druet, D.: see Hio, A.
Dulieu, C., Poncelet, D.: Spectrophotometric assay of α-acetolactate decarboxylase, 537

Edwards, W., Leukes, W. D., Rose, P. D., Burton, S. G.: Immobilization of polyphenol oxidase on chitosan-coated polysulphone capillary membranes for improved phenolic effluent bioremediation, 769
Egmond, M. R.: see Koops, B. C.
Eneiskaya, E. V.: see Kulminskaya, A. A.
Engasser, J. M.: see Delaunay, S.

Fenton, G. A.: see Stevenson, D. E.
Fernández-Lafuente, R.: see Hernández-Justiz, O.
Ferrer, P.: see Sánchez, A.
Fogarty, W. M.: see Doyle, E. M.
Forni, A.: see Davoli, P.
Fox, P.: see Gobbetti, M.
Frings, K., Koch, M., Hartmeier, W.: Kinetic resolution of 1-phenyl ethanol with high enantioselectivity with native and immobilized lipase in organic solvents, 303

Gandolfi, R.: see Molinari, F.
Gao, C., Whitcombe, M. J., Vulfson, E. N.: Enzymatic synthesis of dimeric and trimeric sugar-fatty acid esters, 264
García, F.: see Contreras, A.
García, J. L.: see Alonso, J., Hernández-Justiz, O.
Garcia, T., Sanchez, N., Martinez, M., Aracil, J.: Enzymatic synthesis of fatty esters. Part I. Kinetic approach, 584
Garcia, T., Sanchez, N., Martinez, M., Aracil, J.: Enzymatic synthesis of fatty esters. Part II. Optimization studies, 591
García-Ochoa, F., Casas, J. A.: Unstructured kinetic model for sophorolipid production by *Candida bombicola*, 613
García-Ochoa, F., Santos, V. E., Naval, L., Guardiola, E., López, B.: Kinetic model for anaerobic digestion of livestock manure, 55
Gessesse, A.: see Mamo, G.
Gessesse, A., Mamo, G.: High-level xylanase production by an alkaliphilic *Bacillus* sp. by using solid-state fermentation, 68
Ghioureliotis, M., Nicell, J. A.: Assessment of soluble products of peroxidase-catalyzed polymerization of aqueous phenol, 185
Ghoul, M.: see Ismail, A.
Giuliani, S.: see Setti, L.
Gobbetti, M., Lanciotti, R., De Angelis, M., Corbo, M. R., Massini, R., Fox, P.: Study of the effects of temperature, pH, NaCl, and a_w on the proteolytic and lipolytic activities of cheese-related lactic acid by quadratic response surface methodology, 795
Goergen, J.-L.: see Delaunay, S.
Gökçay, C. F.: see Yetiş, Ü.
Golubev, A. M.: see Kulminskaya, A. A.
González, L.: see Romero, M. D.
Gorjup, B., Lampič, N., Penca, R., Perdih, A., Perdih, M.: Solvent effects on ligninases, 15
Gourdon, P.: see Delaunay, S.
Grabowski, E.: see Chartrain, M.
Greasham, R.: see Chartrain, M.
Grothe, E., Moo-Young, M., Chisti, Y.: Fermentation optimization for the production of poly(β-hydroxybutyric acid) microbial thermoplastic, 132
Guan, W.-Z.: see Chen, Y.-X.
Guardiola, E.: see García-Ochoa, F.
Guisán, J. M.: see Alonso, J., Hernández-Justiz, O.
Gunasekaran, P.: see Ananthalakshmy, V. K.
Guwy, A. J., Martin, S. R., Hawkes, F. R., Hawkes, D. L.: Catalase activity measurement in suspended aerobic biomass and soil samples, 669

Haaker, H.: see van den Ban, E. C. D.
Halámek, E.: see Tušarová, I.
Halkier, T.: see Schneider, P.
Han, K. H.: see Park, J. H.
Hartmeier, W.: see Frings, K.
Hatakka, A.: see Dorado, J.
Hawkes, D. L.: see Guwy, A. J.

Hawkes, F. R.: see Guwy, A. J.
Hernández-Justiz, O., Terreni, M., Pagani, G., García, J. L., Guisán, J. M., Fernández-Lafuente, R.: Evaluation of different enzymes as catalysts for the production of β-lactam antibiotics following a kinetically controlled strategy, 336
Hiol, A., Jonzo, M. D., Druet, D., Comeau, L.: Production, purification and characterization of an extracellular lipase from *Mucor hiemalis f. hiemalis*, 80
Hong, S.-P.: see Lee, S.-G.
Huang, C. M.: see Tsai, S. W.
Hunt, G.: see Chartrain, M.

Idziak, E. S.: see Barriga, J. A. T.
Iqbal, J.: see Varshney, H.
Isaeva-Ivanova, L. S.: see Kulminskaya, A. A.
Ismail, A., Linder, M., Ghoul, M.: Optimization of butylgalactoside synthesis by β-galactosidase from *Aspergillus oryzae*, 208
Ison, A. P.: see Large, K. P.

Jenkins, R.: see Mordocco, A.
Jeon, G.-J.: see Park, O.-J.
Jewitt, N., Anthony, P., Lowe, K. C., de Pomerai, D. I.: Oxygenated perfluorocarbon promotes nematode growth and stress-sensitivity in a two-phase liquid culture system, 349
Joaua, S.: see Zouari, N.
Jong, C.-H.: see Liu, B.-L.
Jonzo, M. D.: see Hio, A.

Kang, H. S.: see Cho, K. M.
Kavanagh, K.: see Murphy, A.
Kelly, C. T.: see Doyle, E. M.
Kelly, S. M.: see Carroll, N. M.
Khattar, J. I. S., Sarma, T. A., Singh, D. P.: Removal of chromium ions by agar immobilized cells of the cyanobacterium *Anacystis nidulans* in a continuous flow bioreactor, 564
Kibblewhite, R. P.: see Wong, K. K. Y.
Kilburn, D.: see Cavaco-Paulo, A.
Kim, B.-G.: see Shin, J.-S.
Kim, H. Y.: see Park, J. H.
Kim, H. K., Park, T. G.: Synthesis and characterization of thermally reversible bioconjugates composed of α-chymotrypsin and poly(*N*-isopropylacrylamide-co-acrylamido-2-deoxy-D-glucose), 31
Kiss, I.: see Vértesi, A.
Kobliha, Z.: see Tušarová, I.
Koch, M.: see Frings, K.
Koops, B. C., Verheij, H. M., Slotboom, A. J., Egmond, M. R.: Effect of chemical modification on the activity of lipases in organic solvents, 622
Korica, T.: see Abramić, M.
Kristiansen, B.: see Papagianni, M.
Kuek, C.: see Mordocco, A.
Kulminskaya, A. A., Eneiskaya, E. V., Isaeva-Ivanova, L. S., Savel'ev, A. N., Sidorenko, I. A., Shabalin, K. A., Golubev, A. M., Neustroev, K. N.: Enzymatic activity and β-galactomannan binding property of β-mannosidase from *Trichoderm reesei*, 372
Kumar, G.: see Shao, L.

Laane, C.: see van den Ban, E. C. D.
Ladero, M.: see Romero, M. D.
Lahaye, M.: see Bonnin, E.
Lampič, N.: see Gorjup, B.
Lämsä, M.: see Uosukainen, E.
Lanciotti, R.: see Gobbetti, M.
Lapujade, P.: see Delaunay, S.
Large, K. P., Mirjalili, N., Osborne, M., Peacock, L. M., Zormpaidis, V., Walsh, M., Cavanagh, M. E., Leadlay, P. F., Ison, A. P.: Lipase activity in *Streptomycetes*, 569
Leadlay, P. F.: see Large, K. P.
Lee, C.-H.: see Chang, Q.-L.
Lee, M.-T., Chen, W.-C., Chou, C.-C.: Optimization and kinetic analysis of cholesterol oxidase production by *Rhodococcus equi* no. 23 in submerged cultures, 598
Lee, S.-G., Hong, S.-P., Sung, M.-H.: Development of an enzymatic system for the production of dopamine from catechol, pyruvate, and ammonia, 298
Leisola, M.: see Pastinen, O., Uosukainen, E.
Lenhart, J. L.: see Shao, L.
Leon, R.: see Molinari, F.
Léonard, D., Lindley, N. D.: Growth of *Ralstonia eutropha* on inhibitory concentrations of phenol: diminished growth can be attributed to hydrophobic perturbation of phenol hydroxylase activity, 221
Leščić, I.: see Abramić, M.
Leukes, W. D.: see Edwards, W.
Linder, M.: see Ismail, A.
Lindley, N. D.: see Delaunay, S.
Lindley, N. D.: see Léonard, D.
Linko, P.: see Uosukainen, E.
Linko, Y.-Y.: see Uosukainen, E.
Liu, B.-L., Jong, C.-H., Tzeng, Y.-M.: Effect of immobilization on pH and thermal stability of *Aspergillus ficuum* phytase, 517
Liu, J.-S., Schill, N., van Gulik, W. M., Voisard, D., Marison, I. W., von Stockar, U.: The coupling between catabolism and anabolism of *Methanobacterium thermoautotrophicum* in H_2- and iron-limited continuous cultures, 784
Lo Leggio, L., Pickersgill, R. W.: Xylanase-oligosaccharide interactions studied by a competitive enzyme assay, 701
Loera, O., Aguirre, J., Viniegra-González, G.: Pectinase production by a diploid construct from two *Aspergillus niger* overproducing mutants, 103
Loh, K.-C.: see Wang, S.-J.
López, B.: see García-Ochoa, F.
Lowe, K. C.: see Jewitt, N.
Lynch, H. C.: see Davis, D. A.

Mahle, M.: see Zigova, J.
Mailly, E.: see Delaunay, S.
Malissard, M.: see Zigova, J.
Mamo, G.: see Gessesse, A.
Mamo, G., Gessesse, A.: Purification and characterization of two raw-starch-digesting thermostable α-amylases from a thermophilic *Bacillus*, 433
Mansfield, S. D.: see Mooney, C. A.
Marison, I. W.: see Liu, J.-S.
Markx, G. H., Davey, C. L.: The dielectric properties of biological cells at radiofrequencies: applications in biotechnology, 161
Martin, S. R.: see Guwy, A. J.
Martínez, A. T.: see Dorado, J.
Martinez, M.: see Garcia, T.
Marty, A.: see Dossat, V.
Massini, R.: see Gobbetti, M.
Mattey, M.: see Papagianni, M.

McIntyre, M., Berry, D. R., McNeil, B.: Response of *Penicillium chrysogenum* to oxygen starvation in glucose- and nitrogen-limited chemostat cultures, 447
McNamara, J.: see Chartrain, M.
McNeil, B.: see McIntyre, M.
Merchuk, J. C.: see Contreras, A.
Mirjalili, N.: see Large, K. P.
Moletta, R.: see Penaud, V.
Molina, E.: see Contreras, A.
Molinari, F., Gandolfi, R., Aragozzini, F., Leon, R., Prazeres, D. M. F.: Biotransformations in two-liquid-phase systems. Production of phenylacetaldehyde by oxidation of 2-phenylethanol with acetic acid bacteria, 729
Mondorf, K.: see Schneider, P.
Mooney, C. A., Mansfield, S. D., Beatson, R. P., Saddler, J. N.: The effect of fiber characteristics on hydrolysis and cellulase accessibility to softwood substrates, 644
Moo-Young, M.: see Grothe, E.
Moraes, G.: see Stevenson, D. E.
Mordocco, A., Kuek, C., Jenkins, R.: Continuous degradation of phenol at low concentration using immobilized *Pseudomonas putida*, 530
Moretti, I.: see Davoli, P.
Morgado, J.: see Cavaco-Paulo, A.
Morgan, K. R.: see Stevenson, D. E.
Muramoto, K.: see Wagner, L.
Murphy, A., Kavanagh, K.: Emergence of *Saccharomyces cerevisiae* as a human pathogen: implications for biotechnology, 551

Naganuma, T.: see Wagner, L.
Naidu, G. S. N., Panda, T.: Performance of pectolytic enzymes during hydrolysis of pectic substances under assay conditions: a statistical approach, 116
Naudé, R. J.: see Wagner, L.
Naundorf, A., Ajisaka, K.: Purification of α-*N*-acetyl-galactosaminidase from *Aspergillus niger* and its use in the synthesis of GalNAc-α-(1→O)-serine, 483
Naval, L.: see García-Ochoa, F.
Neustroev, K. N.: see Kulminskaya, A. A.
Nicell, J. A.: see Ghioureliotis, M.
Noone, A. M.: see Doyle, E. M.
Nygaard, A. R.: see Reuter, S.

Oelofsen, W.: see Wagner, L.
Okunev, N. N.: see Baraznenok, V. A.
Olewinski, R.: see Chartrain, M.
Oriol, E.: see Delaunay, S.
Osborne, M.: see Large, K. P.
Østergaard, P. R.: see Schneider, P.
Otero, C.: see Torres, C.
Owens, J. D.: see Sparringa, R. A.
Öztürk, R., Bozkaya, L. A., Atav, E.: Sağlam, N., Tarhan, L., Purification and characterization of superoxide dismutase from *Phanerochaete chrysosporium*, 392

Pagani, G.: see Hernández-Jústiz, O.
Panda, T.: see Naidu, G. S. N.
Papagianni, M., Mattey, M., Kristiansen, B.: The influence of glucose concentration on citric acid production and morphology of *Aspergillus niger* in batch and culture, 710
Park, J. H., Kim, H. Y., Han, K. H., Chung, I. S.: Optimization of transfection conditions for expression of green fluorescent protein in *Drosophila melanogaster* S2 cells, 558
Park, O.-J., Jeon, G.-J., Yang, J.-W.: Protease-catalyzed synthesis of disaccharide amino acid esters in organic media, 455
Park, T. G.: see Kim, H. K.
Parkin, K. L.: see Chang, Q.-L.
Parr, R. S.: Patent reports, 153, 463, 543, 632, 774, 777, 780, 831
Paschold, H.: see Zigova, J.
Pastinen, O., Visuri, K., Schoemaker, H. E., Leisola, M.: Novel reactions of xylose isomerase from *Streptomyces rubiginosus*, 695
Payne, G. F.: see Shao, L.
Peacock, L. M.: see Large, K. P.
Penaud, V., Delgenès, J. P., Moletta, R.: Thermo-chemical pretreatment of a microbial biomass: influence of sodium hydroxide addition on solubilization and anaerobic biodegradability, 258
Penca, R.: see Gorjup, B.
Perdih, A.: see Gorjup, B.
Perdih, M.: see Gorjup, B.
Pereira, P., Pires, A. S., Roseiro, J. C.: The effect of culture aging, cyanide concentration and induction time on formamide hydro-lyase activity of *Fusarium oxysporum* CCMI 876, 736
Pernas, M. A.: see Sánchez, A.
Phumathon, P., Stephens, G. M.: Production of toluene *cis*-glycol using recombinant *Escherichia coli* strains in glucose-limited fed batch culture, 810
Pickersgill, R. W.: see Lo Leggio, L.
Pifferi, P. G.: see Setti, L.
Pigac, J.: see Abramić, M.
Pilosof, A. M. R.: see Taragano, V. M.
Pires, A. S.: see Pereira, P.
Piret, J. M.: see Adrio, J. L.
Platner, H.: see Singh, S. A.
Poncelet, D.: see Dulieu, C.
Prati, F.: see Davoli, P.
Prazeres, D. M. F.: see Molinari, F.
Price, N. C.: see Carroll, N. M.

Ramsay, J. A.: see Swamy, J.
Reuter, S., Nygaard, A. R.: Zimmermann, W., β-Galactooligosaccharide synthesis with β-galactosidases from *Sulfolobus solfataricus, Aspergillus oryzae*, and *Escherichia coli*, 509
Rob, A.: see Tuncer, M.
Roberge, C.: see Chartrain, M.
Romero, M. D., Aguado, J., González, L., Ladero, M.: Cellulase production by *Neurospora crassa* on wheat straw, 244
Rose, P. D.: see Edwards, W.
Roseiro, J. C.: see Pereira, P.
Ross, R. P.: see Carroll, N. M.
Rouillon, R., Tocabens, M., Carpentier, R.: A photoelectrochemical cell for detecting pollutant-induced effects on the activity of immobilized cyanobacterium *Synechococcus* sp. PCC 7942, 230
Roush, D.: see Chartrain, M.
Rúa, M. L.: see Sánchez, A.

Saddler, J. N.: see Mooney, C. A.
Saenger, W.: see Abramić, M.
Sağlam, N.: see Öztürk, R.
Saleemuddin, M.: see Varshney, H.
Salmon, P.: see Chartrain, M.
Salto, F.: see Alonso, J.
Sánchez, A., Ferrer, P., Serrano, A., Pernas, M. A., Valero, F., Rúa, M. L., Casas, C., Solà C.: Characterization of the lipase and esterase multiple forms in an enzyme preparation from a *Candida rugosa* pilot-plant scale fed-batch fermentation, 214

Sanchez, N.: see Garcia, T.
Santos, V. E.: see García-Ochoa, F.
Sarma, T. A.: see Khattar, J. I. S.
Savel'ev, A. N.: see Kulminskaya, A. A.
Schill, N.: see Liu, J.-S.
Schmid, R. D.: see Yan, Y.
Schneider, P., Caspersen, M. B., Mondorf, K., Halkier, T., Skov, L. K., Østergaard, P. R., Brown, K. M., Brown, S. H., Xu, F.: Characterization of a *Coprinus cinereus* laccase, 502
Schoemaker, H. E.: see Pastinen, O.
Scigelov, M., Crout D. H. G.: Microbial β-*N*-acetylhexosaminidases and their biotechnological applications, 3
Sellek, G. A., Chaudhuri, J. B.: Biocatalysis in organic media using enzymes from extremophiles, 471
Serrano, A.: see Sánchez, A.
Setti, L., Giuliani, S., Spinozzi, G., Pifferi, P. G.: Laccase catalyzed-oxidative coupling of 3-methyl 2-benzothiazolinone hydrazone and methoxyphenols, 285
Shabalin, K. A.: see Kulminskaya, A. A.
Shao, L., Kumar, G., Lenhart, J. L., Smith, P. J., Payne, G. F.: Enzymatic modification of the synthetic polymer polyhydroxystyrene, 660
Sheehan, D.: see Carroll, N. M.
Shih, I.-L.: see Wang, S.-L.
Shin, J.-S., Kim, B.-G.: Modeling of the kinetic resolution of α-methylbenzylamine with ω-transaminase in a two-liquid-phase system, 426
Sidorenko, I. A.: see Kulminskaya, A. A.
Simon, L. M.: see Vértesi, A.
Singh, D. P.: see Khattar, J. I. S.
Singh, S. A., Plattner, H., Diekmann, H.: Exopolygalacturonate lyase from a thermophilic *Bacillus* sp., 420
Skov, L. K.: see Schneider, P.
Slotboom, A. J.: see Koops, B. C.
Smith, P. J.: see Shao, L.
Solà, C.: see Sánchez, A.
Sparringa, R. A., Owens, J. D.: Causes of alkalinization in tempe solid substrate fermentation, 677
Spinozi, G.: see Setti, L.
Stephens, G. M.: see Phumathon, P.
Stevenson, D. E., Morgan, K. R., Fenton, G. A., Moraes, G.: Use of NMR and mass spectrometry to detect and quantify protease-catalyzed peptide bond formation in complex mixtures, 357
Sung, M.-H.: see Lee, S.-G.
Swamy, J., Ramsay, J. A.: Effects of glucose and NH_4^+ concentrations on sequential dye decoloration by *Trametes versicolor*, 278
Szajáni, B.: see Vértesi, A.

Taragano, V. M., Pilosof, A. M. R.: Application of Doehlert designs for water activity, pH, and fermentation time optimization for *Aspergillus niger* pectinolytic activities production in solid-state and submerged fermentation, 411
Tarhan, L.: see Öztürk, R.
Terreni, M.: see Hernández-Justiz, O.
Thibault, J.-F.: see Bonnin, E.
Tocabens, M.: see Rouillon, R.
Torre, G.: see Davoli, P.
Torres, C., Bernabé, M., Otero, C.: Part II. Two enzymatic procedures for the selective synthesis of malic acid monoesters, 753
Torres, C., Otero, C.: Part I. Enzymatic synthesis of lactate and glycolate esters of fatty alcohols, 745
Torres, R.: see Arroyo, M.
Tsai, S. W., Huang, C. M.: Enantioselective synthesis of (S)-suprofen ester prodrugs by lipase in cyclohexane, 682
Tuncer, M., Ball, A. S., Rob, A., Wilson, M. T.: Optimization of extracellular lignocellulolytic enzyme production by a thermophilic actinomycete *Thermomonospora fusca* BD25, 38
Tušarová, I., Halámek, E., Kobliha, Z.: Study on reactivation of enzyme-inhibitor complexes by oximes using acetylcholine esterase inhibited by organophosphate chemical warfare agents, 400
Tzeng, Y.-M.: see Liu, B.-L.

Uhel, C.: see Dédaldéchamp, F.
Uosukainen, E., Lämsä, M., Linko, Y.-Y., Lindo, P., Leisola, M.: Optimization of enzymatic transesterification of rapeseed oil ester using response surface and principal component methodology, 236

Valero, F.: see Sánchez, A.
van den Ban, E. C. D., Willemen, H. M., Wassink, H., Laane, C., Haaker, H.: Bioreduction of carboxylic acids by *Pyrococcus furiosus* in batch cultures, 251
van Gulik, W. M.: see Liu, J.-S.
Vares, T.: see Dorado, J.
Varley, L. J.: see Davis, D. A.
Varshney, H., Iqbal, J., Saleemuddin, M.: Immobilization of the restriction endonuclease *Eco*RI: usefulness of a polyclonal antibody support, 172
Verheij, H. M.: see Koops, B. C.
Vértesi, A., Simon, L. M., Kiss, I., Szajáni, B.: Preparation, characterization and application of immobilized carboxypeptidase A, 73
Vigouroux, J.: see Bonnin, E.
Viniegra-González, G.: see Loera, O.
Visuri, K.: see Pastinen, O.
Vitale, L.: see Abramić, M.
Voisard, D.: see Liu, J.-S.
von Stockar, U.: see Liu, J.-S.
Vulfson, E. N.: see Gao, C.

Wagner, L., Naudé, R. J., Oelofsen, W., Naganuma, T., Muramoto, K.: Isolation and partial characterization of dipeptidyl peptidase IV from ostrich kidney, 576
Walsh, M.: see Large, K. P.
Wang, S.-J., Loh, K.-C.: Modeling the role of metabolic intermediates in kinetics of phenol biodegradation, 177
Wang, S.-L., Yieh, T.-C., Shih, I.-L.: Production of antifungal compounds by *Pseudomonas aeruginosa* K-187 using shrimp and crab shell powder as a carbon source, 142
Wang, S.-L., Yieh, T.-C., Shih, I.-L.: Purification and characterization of a new antifungal coumpound produced by *Pseudomonas aeruginosa* K-187 in a shrimp and crab shell powder medium, 439
Wang, T.: see Chartrain, M.
Wardell, J. N., Bushell, M. E.: Kinetics and manipulation of hyphal breakage and its effect on antibiotic production, 404
Wassink, H.: see van den Ban, E. C. D.
Wehtje, E.: see Costes, D.
Weuster-Botz, D.: see Zigova, J.
Whitcombe, M. J.: see Gao, C.
Willemen, H. M.: see van den Ban, E. C. D.
Wilson, M. T.: see Tuncer, M.
Wong, K. K. Y., Anderson, K. B., Kibblewhite, R. P.: Effects of the laccase-mediator system on the handsheet properties of two high kappa kraft pulps, 125
Wu, X.-X.: see Chen, Y.-X.

Xu, F.: see Schneider, P.

Yamazaki, S.: see Chartrain, M.
Yan, Y., Bornscheuer, U. T., Cao, L., Schmid, R. D.: Lipase-catalyzed solid-phase synthesis of sugar fatty acid esters. Removal of byproducts by azeotropic distillation, 725
Yang, J.-W.: see Park, O.-J.
Yang, X.-C.: see Chen, Y.-X.
Yetiş, Ü., Demirer, G. N., Gökçay, C. F.: Effect of chromium(VI) on the biomass yield of activated sludge, 48
Yieh, T.-C.: see Wang, S.-L.
Yoo, Y. J.: see Cho, K. M.
You, D.-L.: see Chen, Y.-X.

Zhang, X.-Z.: see Chen, Y.-X.
Zhao, D.: see Chartrain, M.
Zigova, J., Mahle, M., Paschold, H., Malissard, M., Berger, E. G., Weuster-Botz, D.: Fed-batch production of a soluble β-1,4-galactosyltransferase with *Saccharomyces cerebisiae*, 201
Zimmermann, W.: see Reuter, S.
Zormpaidis, V.: see Large, K. P.
Zouari, N., Jaoua, S.: Production and characterization of metalloproteases synthesized concomitantly with δ-endotoxin by *Bacillus thuringiensis* subsp. *kurstaki* strain grown on gruel-based media, 364

ELSEVIER

Enzyme and Microbial Technology 25 (1999) 840–849

enzyme and microbial technology

Subject Index to Volume 25

Acetic acid bacteria
Biotransformations in two-liquid-phase systems. Production of phenylacetaldehyde by oxidation of 2-phenylethanol with acetic acid bacteria, 729
α-Acetolactate decarboxylase
Spectrophotometric assay of α-acetolactate decarboxylase, 537
Acetolactate synthase
Characterization of recombinant acetolactate synthase from *Leuconostoc lactis* NCW1, 61
Acetylcholine esterase
Study on reactivation of enzyme-inhibitor complexes by oximes using acetylcholine esterase inhibited by organophosphate chemical warfare agents, 400
α-*N*-Acetyl-galactosaminidase
Purification of α-*N*-acetyl-galactosaminidase from *Aspergillus niger* and its use in the synthesis of GalNAc-α-(1→O)-serine, 483
Action pattern
Comparison of the action pattern of two high maltose-forming α-amylases on linear maltooligosaccharides, 330
Activated sludge
Effect of chromium(VI) on the biomass yield of activated sludge, 48
Activity
Characterization of a *Coprinus cinereus* laccase, 502
Hydroxynitrile lyase-catalyzed synthesis of cyanohydrins in organic solvents: parameters influencing activity and enantiospecificity, 384
Spectrophotometric assay of α-acetolactate decarboxylase, 537
Acylation
Protease-catalyzed synthesis of disaccharide amino acid esters in organic media, 455
Acylglycerol restructuring
Comparative selectivities of immobilized lipases from *Pseudomonas cepacia* and *Candida antarctica* (fraction B) for esterification reactions with glycerol and glycerol analogues in organic media, 290
Acyl group selectivity
Comparative selectivities of immobilized lipases from *Pseudomonas cepacia* and *Candida antarctica* (fraction B) for esterification reactions with glycerol and glycerol analogues in organic media, 290
Additives
Effect of chemical modification on the activity of lipases in organic solvents, 622
Adsorption
Interactions of cotton with CBD peptides, 639
Aerobic biomass
Catalase activity measurements in suspended aerobic biomass and soil samples, 669
Airlift bioreactor
Influence of sparger on energy dissipation, shear rate, and mass transfer to sea water in a concentric-tube airlift bioreactor, 820
Alcaligenes latus
Fermentation optimization for the production of poly(β-hydroxybutyric acid) microbial thermoplastic, 132
Alcohol oxidation
Biotransformations in two-liquid-phase systems. Production of phenylacetaldehyde by oxidation of 2-phenylethanol with acetic acid bacteria, 729
Alcoholysis
Optimization of enzymatic transesterification of rapeseed oil ester using response surface and principal component methodology, 236
Aldehyde production
Biotransformations in two-liquid-phase systems. Production of phenylacetaldehyde by oxidation of 2-phenylethanol with acetic acid bacteria, 729
Aldehyde reduction
Bioreduction of carboxylic acids by *Pyrococcus furiosus* in batch cultures, 251
Alkaline xylanase
High-level xylanase production by an alkaliphilic *Bacillus* sp. by using solid-state fermentation, 68
Alkaliphile
High-level xylanase production by an alkaliphilic *Bacillus* sp. by using solid-state fermentation, 68
Alkali production
Causes of alkalinization in tempe solid substrate fermentation, 677
Alkylglycosides
Optimization of butylgalactoside synthesis by β-galactosidase from *Aspergillus oryzae*, 208
Allyl alcohol
(R)-(+) and *(S)*-(−) ethyl 4,4,4-trifluoro-3-hydroxy butanoate by enantioselective Baker's yeast reduction, 149
Allyl bromide
(R)-(+) and *(S)*-(−) ethyl 4,4,4-trifluoro-3-hydroxy butanoate by enantioselective Baker's yeast reduction, 149
Amino acid esters
Protease-catalyzed synthesis of disaccharide amino acid esters in organic media, 455
D-Amino acid oxidase
Engineering the D-amino acid oxidase from *Trigonopsis variabilis* to facilitate its overproduction in *Escherichia coli* and its downstream processing by tailor-made metal chelate supports, 88
Ammonia
Causes of alkalinization in tempe solid substrate fermentation, 677
Ampicillin
Evaluation of different enzymes as catalysts for the production of β-lactam antibiotics following a kinetically controlled strategy, 336
α-Amylase
Comparison of the action pattern of two high maltose-forming α-amylases on linear maltooligosaccharides, 330
Anacystis nidulans
Removal of chromium ions by agar immobilized cells of the cyanobacterium *Anacystis nidulans* in a continuous flow bioreactor, 564
Anaerobic biodegradability
Thermo-chemical pretreatment of a microbial biomass: influence of sodium hydroxide addition on solubilization and anaerobic biodegradability, 258
Anaerobic digestion
Kinetic model for anaerobic digestion of livestock manure, 55
Aniline
Enzymatic modification of the synthetic polymer polyhydroxystyrene, 660
Antifungal
Production of antifungal compounds by *Pseudomonas aeruginosa* K-187 using shrimp and crab shell powder as a carbon source, 142
Purification and characterization of a new antifungal compound produced by *Pseudomonas aeruginosa* K-187 in a shrimp and crab shell powder medium, 439
Applications
Microbial β-*N*-acetylhexosaminidases and their biotechnological applications, 3
Aqueous two-phase system
Evaluation of different enzymes as catalysts for the production of β-lactam antibiotics following a kinetically controlled strategy, 336
Aspergillus ficuum
Effect of immobilization on pH and thermal stability of *Aspergillus ficuum* phytase, 517
Aspergillus niger
Application of Doehlert designs for water activity, pH, and fermentation time

0141-0229/99/$ – see front matter © 1999 Elsevier Science Inc. All rights reserved.
PII:

optimization for *Aspergillus niger* pectinolytic activities production in solid-state and submerged fermentation, 411
The influence of glucose concentration on citric acid production and morphology of *Aspergillus niger* in batch and culture, 710
Performance of pectolytic enzymes during hydrolysis of pectic substances under assay conditions: a statistical approach, 116
Purification of α-*N*-acetyl-galactosaminidase from *Aspergillus niger* and its use in the synthesis of GalNAc-α-(1→O)-serine, 483
Aspergillus oryzae
β-Galactooligosaccharide synthesis with β-galactosidases from *Sulfolobus solfataricus, Aspergillus oryzae,* and *Escherichia coli,* 509
Aspergillus strains
Pectinase production by a diploid construct from two *Aspergillus niger* overproducing mutants, 103
Asymmetric bioreduction
Asymmetric bioreduction of (2-(4-nitro-phenyl)-*N*-(2-oxo-2-pyridin-3-yl-ethyl)-acetamide) to its corresponding (R) alcohol [*(R)*-*N*-(2-hydroxy-2-pyridin-3-yl-ethyl)-2-(4-nitro-phenyl)-acetamide] by using *Candida sorbophila* MY 1833, 489
Autolysis
Isolation and partial characterization of dipeptidyl peptidase IV from ostrich kidney, 576
Response of *Penicillium chrysogenum* to oxygen starvation in glucose- and nitrogen-limited chemostat cultures, 447
Azeotrope
Lipase-catalyzed solid-phase synthesis of sugar fatty acid esters. Removal of byproducts by azeotropic distillation, 725

Bacillus
High-level xylanase production by an alkaliphilic *Bacillus* sp. by using solid-state fermentation, 68
Bacillus licheniformis
Exopolygalacturonate lyase from a thermophilic *Bacillus* sp., 420
Bacillus pallidus
Thermostable nitrilase catalysed production of nicotinic acid from 3-cyanopyridine, 718
Bacillus thuringiensis
Production and characterization of metalloproteases synthesized concomitantly with δ-endotoxin by *Bacillus thuringiensis* subsp. *kurstaki* strain grown on gruel-based media, 364
Bacterial
Purification and properties of extracellular lipase from *Streptomyces rimosus,* 522
Beef cattle
Kinetic model for anaerobic digestion of livestock manure, 55
Bioassay
A photoelectrochemical cell for detecting pollutant-induced effects on the activity of immobilized cyanobacterium *Synechococcus* sp. PCC 7942, 230
Biocatalysis
Biocatalysis in organic media using enzymes from extremophiles, 471
Biocatalyst
Asymmetric bioreduction of (2-(4-nitro-phenyl)-*N*-(2-oxo-2-pyridin-3-yl-ethyl)-acetamide) to its corresponding (R) alcohol [*(R)*-*N*-(2-hydroxy-2-pyridin-3-yl-ethyl)-2-(4-nitro-phenyl)-acetamide] by using *Candida sorbophila* MY 1833, 489
Thermostable nitrilase catalysed production of nicotinic acid from 3-cyanopyridine, 718
Bioconversion
Inactivation of deacetoxycephalosporin C synthase in extracts of *Streptomyces clavuligerus* during bioconversion of penicillin G to deacetoxycephalosporin G, 497
Biodegradable oil
Optimization of enzymatic transesterification of rapeseed oil ester using response surface and principal component methodology, 236
Bioemulsifier
Components of the bioemulsifier from *S. cervisiae,* 96
Biofungicide
Production of antifungal compounds by *Pseudomonas aeruginosa* K-187 using shrimp and crab shell powder as a carbon source, 142
Purification and characterization of a new antifungal compound produced by *Pseudomonas aeruginosa* K-187 in a shrimp and crab shell powder medium, 439
Biomass yield
Effect of chromium(VI) on the biomass yield of activated sludge, 48
Bioplastic
Fermentation optimization for the production of poly(β-hydroxybutyric acid) microbial thermoplastic, 132
Biopolymer
Fermentation optimization for the production of poly(β-hydroxybutyric acid) microbial thermoplastic, 132
Bioreactor
Removal of chromium ions by agar immobilized cells of the cyanobacterium *Anacystis nidulans* in a continuous flow bioreactor, 564
Thermostable nitrilase catalysed production of nicotinic acid from 3-cyanopyridine, 718
Bioseparation
Synthesis and characterization of thermally reversible bioconjugates composed of α-chymotrypsin and poly(*N*-isopropylacryl-amide-co-acrylamido-2-deoxy-D-glucose), 31
Biosurfactant
The production of Surfactin in batch culture by *Bacillus subtilis* ATCC 21332 is strongly influenced by the conditions of nitrogen metabolism, 322
Biotechnology
Emergence of *Saccharomyces cerevisiae* as a human pathogen: implications for biotechnology, 551
Biotransformation
Biotransformations in two-liquid-phase systems. Production of phenylacetaldehyde by oxidation of 2-phenylethanol with acetic acid bacteria, 729
Production of toluene *cis*-glycol using recombinant *Escherichia coli* strains in glucose-limited fed batch culture, 810
Biphasic system
Modeling of the kinetic resolution of α-methylbenzylamine with ω-transaminase in a two-liquid-phase system, 426
Bleaching
Characterization of neutral xylanases from *Chaetomium cellulolyticum* and their biobleaching effect on eucalyptus pulp, 651
Bovine Serum Albumin (BSA)
Enzymatic activities of proteases dissolved in organic solvents, 689
Butylgalactoside
Optimization of butylgalactoside synthesis by β-galactosidase from *Aspergillus oryzae,* 208

Ca-alginate gel-immobilized *P. putida*
Determination of the effective diffusion coefficient of phenol in Ca-alginate-immobilized *P. putida* beads, 344
Cadmium stress
Oxygenated perfluorocarbon promotes nematode growth and stress-sensitivity in a two-phase liquid culture system, 349
Caenorhabditis elegans
Oxygenated perfluorocarbon promotes nematode growth and stress-sensitivity in a two-phase liquid culture system, 349
Candida antarctica
Enzymatic synthesis of fatty esters. Part I. Kinetic approach, 584
Candida antarctica B lipase
Comparative selectivities of immobilized lipases from *Pseudomonas cepacia* and *Candida antarctica* (fraction B) for esterification reactions with glycerol and glycerol analogues in organic media, 290
Candida antarctica lipase
Part I. Enzymatic synthesis of lactate and glycolate esters of fatty alcohols, 745
Part II. Two enzymatic procedures for the selective synthesis of malic acid monoesters, 753
Candida bombicola
Unstructured kinetic model for sophorolipid production by *Candida bombicola,* 613
Candida rugosa
Characterization of the lipase and esterase multiple forms in an enzyme preparation from a *Candida rugosa* pilot-plant scale fed-batch fermentation, 214
Candida sorbophila MY 1833
Asymmetric bioreduction of (2-(4-nitro-phenyl)-*N*-(2-oxo-2-pyridin-3-yl-ethyl)-acetamide) to its corresponding (R) alcohol [*(R)*-*N*-(2-hydroxy-2-pyridin-3-yl-ethyl)-2-(4-nitro-phenyl)-acetamide] by using *Candida sorbophila* MY 1833, 489
Carboxylic acid reduction
Bioreduction of carboxylic acids by *Pyrococcus furiosus* in batch cultures, 251
Carboxypeptidase A
Preparation, characterization and application of immobilized carboxypeptidase A, 73
Catalase assay
Catalase activity measurements in suspended aerobic biomass and soil samples, 669
Catechin
Induction of anthocyanin synthesis in nonpigmented grape cell suspensions by acting on DFR substrate availability or precursors level, 316
Cell growth
Modeling the role of metabolic intermediates in kinetics of phenol biodegradation, 177

Cell mass yield
Modeling the role of metabolic intermediates in kinetics of phenol biodegradation, 177
Cell suspension
Induction of anthocyanin synthesis in nonpigmented grape cell suspensions by acting on DFR substrate availability or precursors level, 316
Cellulase
The effect of fiber characteristics on hydrolysis and cellulase accessibility to softwood substrates, 644
Cellulases
Cellulase production by *Neurospora crassa* on wheat straw, 244
Interactions of cotton with CBD peptides, 639
Cellulose
δ-Integration of endo/exo-glucanase and β-glucosidase genes into the yeast chromosomes for direct conversion of cellulose to ethanol, 23
Cellulose binding domain (CBD)
Interactions of cotton with CBD peptides, 639
Cellulose hydrolysis
The effect of fiber characteristics on hydrolysis and cellulase accessibility to softwood substrates, 644
Cephalexin
Evaluation of different enzymes as catalysts for the production of β-lactam antibiotics following a kinetically controlled strategy, 336
Cephalosporins
Inactivation of deacetoxycephalosporin C synthase in extracts of *Streptomyces clavuligerus* during bioconversion of penicillin G to deacetoxycephalosporin G, 497
Cephamandole
Evaluation of different enzymes as catalysts for the production of β-lactam antibiotics following a kinetically controlled strategy, 336
Ceriporiopsis subvermispora
Transformation of wheat straw in the course of solid-state fermentation by four ligninolytic basidiomycetes, 605
Cheese ripening
Study of the effects of temperature, pH, NaCl, and α_w on the proteolytic and lipolytic activities of cheese-related lactic acid by quadratic response surface methodology, 795
Chemical modification
Effect of chemical modification on the activity of lipases in organic solvents, 622
Chiral amine
Modeling of the kinetic resolution of α-methylbenzylamine with ω-transaminase in a two-liquid-phase system, 426
Chitinase
Production of antifungal compounds by *Pseudomonas aeruginosa* K-187 using shrimp and crab shell powder as a carbon source, 142
Purification and characterization of a new antifungal compound produced by *Pseudomonas aeruginosa* K-187 in a shrimp and crab shell powder medium, 439
Chitobiase
Microbial β-*N*-acetylhexosaminidases and their biotechnological applications, 3
Chitosan
Enzymatic modification of the synthetic polymer polyhydroxystyrene, 660
Immobilization of polyphenol oxidase on chitosan-coated polysulphone capillary membranes for improved phenolic effluent bioremediation, 769
Cholesterol oxidase
Optimization and kinetic analysis of cholesterol oxidase production by *Rhodococcus equi* no. 23 in submerged cultures, 598
α-Chymotrypsin
Synthesis and characterization of thermally reversible bioconjugates composed of α-chymotrypsin and poly(*N*-isopropylacrylamide-co-acrylamido-2-deoxy-D-glucose), 31
Circular dichroism spectra
Characterization of recombinant acetolactate synthase from *Leuconostoc lactis* NCW1, 61
Citric acid
The influence of glucose concentration on citric acid production and morphology of *Aspergillus niger* in batch and culture, 710
Coarseness
The effect of fiber characteristics on hydrolysis and cellulase accessibility to softwood substrates, 644
Competitive inhibition
Xylanase–oligosaccharide interactions studied by a competitive enzyme assay, 701
Competitive substrates
Xylanase–oligosaccharide interactions studied by a competitive enzyme assay, 701
Conjugates
Synthesis and characterization of thermally reversible bioconjugates composed of α-chymotrypsin and poly(*N*-isopropylacrylamide-co-acrylamido-2-deoxy-D-glucose), 31
Continuous culture
The coupling between catabolism and anabolism of *Methanobacterium thermoautotrophicum* in H_2- and iron-limited continuous cultures, 784
Continuous reactor
Continuous enzymatic transesterification of high oleic sunflower oil in a packed bed reactor: influence of the glycerol production, 194
Corynebacterium glutamicum
An improved temperature-triggered process for gluatmate production with *Corynebacterium glutamicum*, 762
Cotton
Interactions of cotton with CBD peptides, 639
Covalently immobilized
Preparation, characterization and application of immobilized carboxypeptidase A, 73
Cr(VI)
Effect of chromium(VI) on the biomass yield of activated sludge, 48
Cu^{2+}-chelate affinity
Isolation and partial characterization of dipeptidyl peptidase IV from ostrich kidney, 576
Cyanide biodegradation
The effect of culture aging, cyanide concentration and induction time on formamide hydro-lyase activity of *Fusarium oxysporum* CCMI 876, 736
Cyanide-resistant respiration
The effect of culture aging, cyanide concentration and induction time on formamide hydro-lyase activity of *Fusarium oxysporum* CCMI 876, 736
Cyanobacterium
A photoelectrochemical cell for detecting pollutant-induced effects on the activity of immobilized cyanobacterium *Synechococcus* sp. PCC 7942, 230
Removal of chromium ions by agar immobilized cells of the cyanobacterium *Anacystis nidulans* in a continuous flow bioreactor, 564
Cyanohydrin
Hydroxynitrile lyase-catalyzed synthesis of cyanohydrins in organic solvents: parameters influencing activity and enantiospecificity, 384
3-Cyanopyridine
Thermostable nitrilase catalysed production of nicotinic acid from 3-cyanopyridine, 718

Deacetoxycephalosporin G
Inactivation of deacetoxycephalosporin C synthase in extracts of *Streptomyces clavuligerus* during bioconversion of penicillin G to deacetoxycephalosporin G, 497
Degradation
Continuous degradation of phenol at low concentration using immobilized *Pseudomonas putida*, 530
Deoxyglucose resistance
Pectinase production by a diploid construct from two *Aspergillus niger* overproducing mutants, 103
Dielectric constant
Interaction of penicillin V acylase with organic solvents: catalytic activity modulation on the hydrolysis of penicillin V, 378
Dielectrics
The dielectric properties of biological cells at radiofrequencies: applications in biotechnology, 161
Dielectric spectroscopy
The dielectric properties of biological cells at radiofrequencies: applications in biotechnology, 161
Dihydroflavonal 4-reductase
Induction of anthocyanin synthesis in nonpigmented grape cell suspensions by acting on DFR substrate availability or precursors level, 316
Dipeptide syntheses
Kinetically controlled syntheses catalyzed by proteases in reverse micelles and separation of precursor dipeptides of RGD, 310
Dipeptidyl peptidase IV
Isolation and partial characterization of dipeptidyl peptidase IV from ostrich kidney, 576

Doehlert matrix
Optimization of butylgalactoside synthesis by β-galactosidase from *Aspergillus oryzae*, 208
Dopamine
Development of an enzymatic system for the production of dopamine from catechol, pyruvate, and ammonia, 298
Drosophila melanogaster S2 cells
Optimization of transfection conditions for expression of green fluorescent protein in *Drosophila melanogaster* S2 cells, 558
Dye decoloration
Effects of glucose and NH_4^+ concentrations on sequential dye decoloration by *Trametes versicolor*, 278

Effective diffusion coefficient of phenol
Determination of the effective diffusion coefficient of phenol in Ca-alginate-immobilized *P. putida* beads, 344
Electrokinetics
The dielectric properties of biological cells at radiofrequencies: applications in biotechnology, 161
Electron paramagnetic resonance
Characterization of a *Coprinus cinereus* laccase, 502
Emerging pathogen
Emergence of *Saccharomyces cerevisiae* as a human pathogen: implications for biotechnology, 551
Emulsifier characterization
Components of the bioemulsifier from *S. cervisiae*, 96
Enantioselectivity
Kinetic resolution of 1-phenyl ethanol with high enantioselectivity with native and immobilized lipase in organic solvents, 303
Enantiospecificity
Hydroxynitrile lyase-catalyzed synthesis of cyanohydrins in organic solvents: parameters influencing activity and enantiospecificity, 384
Endo-glucanase
δ-Integration of endo/exo-glucanase and β-glucosidase genes into the yeast chromosomes for direct conversion of cellulose to ethanol, 23
Endo-1,4-β-glucanase
Optimization of extracellular lignocellulolytic enzyme production by a thermophilic actinomycete *Thermomonospora fusca* BD25, 38
δ-Endotoxin
Production and characterization of metalloproteases synthesized concomitantly with δ-endotoxin by *Bacillus thuringiensis* subsp. *kurstaki* strain grown on gruel-based media, 364
Endo-1,4-β-xylanase
Optimization of extracellular lignocellulolytic enzyme production by a thermophilic actinomycete *Thermomonospora fusca* BD25, 38
Energy-sufficient growth
The coupling between catabolism and anabolism of *Methanobacterium thermoautotrophicum* in H_2- and iron-limited continuous cultures, 784
Enzymatic esterification
Enzymatic synthesis of fatty esters. Part I. Kinetic approach, 584
Enzymatic synthesis
Enzymatic synthesis of fatty esters. Part II. Optimization studies, 591
Part I. Enzymatic synthesis of lactate and glycolate esters of fatty alcohols, 745
Part II. Two enzymatic procedures for the selective synthesis of malic acid monoesters, 753
Purification of α-*N*-acetyl-galactosaminidase from *Aspergillus niger* and its use in the synthesis of GalNAc-α-(1→O)-serine, 483
Enzymatic synthesis of antibiotics
Evaluation of different enzymes as catalysts for the production of β-lactam antibiotics following a kinetically controlled strategy, 336
Enzyme
Enzymatic modification of the synthetic polymer polyhydroxystyrene, 660
Enzymatic synthesis of dimeric and trimeric sugar-fatty acid esters, 264
Enzyme characterization
Production, purification and characterization of an extracellular lipase from *Mucor hiemalis f. hiemalis*, 80
Enzyme denaturation
Interaction of penicillin V acylase with organic solvents: catalytic activity modulation on the hydrolysis of penicillin V, 378
Enzyme inhibitor
(R)-(+) and *(S)*-(−) ethyl 4,4,4-trifluoro-3-hydroxy butanoate by enantioselective Baker's yeast reduction, 149
Enzyme kinetics
Xylanase–oligosaccharide interactions studied by a competitive enzyme assay, 701
Enzymes in organic media
Enzymatic activities of proteases dissolved in organic solvents, 689
Enzyme stabilization
Immobilization of the restriction endonuclease *Eco*RI: usefulness of a polyclonal antibody support, 172
Enzymic synthesis
Regioselective synthesis of galactosyl-derivatives using exo-(1,4)-β-D-galactanase, galactan, and nonsugar acceptors, 224
Escherichia coli
Engineering the D-amino acid oxidase from *Trigonopsis variabilis* to facilitate its overproduction in *Escherichia coli* and its downstream processing by tailor-made metal chelate supports, 88
β-Galactooligosaccharide synthesis with β-galactosidases from *Sulfolobus solfataricus, Aspergillus oryzae*, and *Escherichia coli*, 509
Production of toluene *cis*-glycol using recombinant *Escherichia coli* strains in glucose-limited fed batch culture, 810
Esterase
Characterization of the lipase and esterase multiple forms in an enzyme preparation from a *Candida rugosa* pilot-plant scale fed-batch fermentation, 214
Esterification
Comparative selectivities of immobilized lipases from *Pseudomonas cepacia* and *Candida antarctica* (fraction B) for esterification reactions with glycerol and glycerol analogues in organic media, 290
Enantioselective synthesis of (S)-suprofen ester prodrugs by lipase in cyclohexane, 682
Part I. Enzymatic synthesis of lactate and glycolate esters of fatty alcohols, 745
Part II. Two enzymatic procedures for the selective synthesis of malic acid monoesters, 753
Ethanol
δ-Integration of endo/exo-glucanase and β-glucosidase genes into the yeast chromosomes for direct conversion of cellulose to ethanol, 23
Overproduction of levan in *Zymomonas mobilis* by using cloned *sacB* gene, 109
Eucalyptus pulp
Characterization of neutral xylanases from *Chaetomium cellulolyticum* and their biobleaching effect on eucalyptus pulp, 651
Exogalactanase
Regioselective synthesis of galactosyl-derivatives using exo-(1,4)-β-D-galactanase, galactan, and nonsugar acceptors, 224
Exo-glucanase
δ-Integration of endo/exo-glucanase and β-glucosidase genes into the yeast chromosomes for direct conversion of cellulose to ethanol, 23
Exopolygalacturonate lyase
Exopolygalacturonate lyase from a thermophilic *Bacillus* sp., 420
Extracellular lipase
Production, purification and characterization of an extracellular lipase from *Mucor hiemalis f. hiemalis*, 80
Extremophile
β-Galactooligosaccharide synthesis with β-galactosidases from *Sulfolobus solfataricus, Aspergillus oryzae*, and *Escherichia coli*, 509
Extremophiles
Biocatalysis in organic media using enzymes from extremophiles, 471
Factorial design
Enzymatic synthesis of fatty esters. Part II. Optimization studies, 591
Performance of pectolytic enzymes during hydrolysis of pectic substances under assay conditions: a statistical approach, 116

Fatty acid
Lipase-catalyzed solid-phase synthesis of sugar fatty acid esters. Removal of byproducts by azeotropic distillation, 725
Fatty esters
Enzymatic synthesis of fatty esters. Part I. Kinetic approach, 584
Fed-batch
An improved temperature-triggered process for gluatmate production with *Corynebacterium glutamicum*, 762
Fed-batch culture
The influence of glucose concentration on citric acid production and morphology of *Aspergillus niger* in batch and culture, 710
Feedback control
Fed-batch production of a soluble β-1,4-galactosyltransferase with *Saccharomyces cerevisiae*, 201
Fermentation
Characterization of the lipase and esterase multiple forms in an enzyme preparation from a *Candida rugosa* pilot-plant scale fed-batch fermentation, 214

Overproduction of levan in *Zymomonas mobilis* by using cloned *sacB* gene, 109
Fermentation variables
Cellulase production by *Neurospora crassa* on wheat straw, 244
Fiber size distribution
The effect of fiber characteristics on hydrolysis and cellulase accessibility to softwood substrates, 644
Filtration enrichment
Pectinase production by a diploid construct from two *Aspergillus niger* overproducing mutants, 103
Fine chemicals
Enzymatic synthesis of fatty esters. Part II. Optimization studies, 591
First-order biodegradation kinetics
Determination of the effective diffusion coefficient of phenol in Ca-alginate-immobilized *P. putida* beads, 344
Flow-injection analysis
Fed-batch production of a soluble β-1,4-galactosyltransferase with *Saccharomyces cerevisiae*, 201
Formamide-hydro-lyase
The effect of culture aging, cyanide concentration and induction time on formamide hydro-lyase activity of *Fusarium oxysporum* CCMI 876, 736
Fusarium oxysporum
The effect of culture aging, cyanide concentration and induction time on formamide hydro-lyase activity of *Fusarium oxysporum* CCMI 876, 736

β-Galactomannan binding site
Enzymatic activity and β-galactomannan binding property of β-mannosidase from *Trichoderm reesei*, 372
β-Galactooligosaccharide synthesis
β-Galactooligosaccharide synthesis with β-galactosidases from *Sulfolobus solfataricus, Aspergillus oryzae*, and *Escherichia coli*, 509
β-Galactosidase
β-Galactooligosaccharide synthesis with β-galactosidases from *Sulfolobus solfataricus, Aspergillus oryzae*, and *Escherichia coli*, 509
Galactosyl-derivatives
Regioselective synthesis of galactosyl-derivatives using exo-(1,4)-β-D-galactanase, galactan, and nonsugar acceptors, 224
Gemini
Enzymatic synthesis of dimeric and trimeric sugar-fatty acid esters, 264
Glucose
The influence of glucose concentration on citric acid production and morphology of *Aspergillus niger* in batch and culture, 710
Glucose ester
Lipase-catalyzed solid-phase synthesis of sugar fatty acid esters. Removal of byproducts by azeotropic distillation, 725
β-Glucosidase
δ-Integration of endo/exo-glucanase and β-glucosidase genes into the yeast chromosomes for direct conversion of cellulose to ethanol, 23
Glutamate
An improved temperature-triggered process for gluatmate production with *Corynebacterium glutamicum*, 762
Glycerol
Continuous enzymatic transesterification of high oleic sunflower oil in a packed bed reactor: influence of the glycerol production, 194
Glycerol analogue selectivity
Comparative selectivities of immobilized lipases from *Pseudomonas cepacia* and *Candida antarctica* (fraction B) for esterification reactions with glycerol and glycerol analogues in organic media, 290
Glycolic acid
Part I. Enzymatic synthesis of lactate and glycolate esters of fatty alcohols, 745
Part II. Two enzymatic procedures for the selective synthesis of malic acid monoesters, 753
O-Glycopeptide conjugate
Purification of α-*N*-acetyl-galactosaminidase from *Aspergillus niger* and its use in the synthesis of GalNAc-α-(1→O)-serine, 483
β-Glycosidase
β-Galactooligosaccharide synthesis with β-galactosidases from *Sulfolobus solfataricus, Aspergillus oryzae*, and *Escherichia coli*, 509
Glycosyltransferase
Fed-batch production of a soluble β-1,4-galactosyltransferase with *Saccharomyces cerevisiae*, 201
Gram-scale
Purification of α-*N*-acetyl-galactosaminidase from *Aspergillus niger* and its use in the synthesis of GalNAc-α-(1→O)-serine
Green fluorescent protein
Optimization of transfection conditions for expression of green fluorescent protein in *Drosophila melanogaster* S2 cells, 558
Growth stimulation
Oxygenated perfluorocarbon promotes nematode growth and siress-sensitivity in a two-phase liquid culture system, 349
Gruel-based media
Production and characterization of metalloproteases synthesized concomitantly with δ-endotoxin by *Bacillus thuringiensis* subsp. *kurstaki* strain grown on gruel-based media, 364

Haldane equation
Modeling the role of metabolic intermediates in kinetics of phenol biodegradation, 177
Homogeneous biocatalysis
Enzymatic activities of proteases dissolved in organic solvents, 689
Hydrolysis
Interaction of penicillin V acylase with organic solvents: catalytic activity modulation on the hydrolysis of penicillin V, 378
Performance of pectolytic enzymes during hydrolysis of pectic substances under assay conditions: a statistical approach, 116
α-Hydroxy acids
Part I. Enzymatic synthesis of lactate and glycolate esters of fatty alcohols, 745
Part II. Two enzymatic procedures for the selective synthesis of malic acid monoesters, 753
Hydroxynitrile lyase
Hydroxynitrile lyase-catalyzed synthesis of cyanohydrins in organic solvents: parameters influencing activity and enantiospecificity, 384
Hyperthermophilic archaeon
Bioreduction of carboxylic acids by *Pyrococcus furiosus* in batch cultures, 251
Hyphal breakage
Kinetics and manipulation of hyphal breakage and its effect on antibiotic production, 404
Hyphal growth kinetics
Kinetics and manipulation of hyphal breakage and its effect on antibiotic production, 404

Immobilization
Continuous degradation of phenol at low concentration using immobilized *Pseudomonas putida*, 530
Kinetic resolution of 1-phenyl ethanol with high enantioselectivity with native and immobilized lipase in organic solvents, 303
A photoelectrochemical cell for detecting pollutant-induced effects on the activity of immobilized cyanobacterium *Synechococcus* sp. PCC 7942, 230
Removal of chromium ions by agar immobilized cells of the cyanobacterium *Anacystis nidulans* in a continuous flow bioreactor, 564
Immobilized carboxypeptidase A
Preparation, characterization and application of immobilized carboxypeptidase A, 73
Immobilized cells
Thermostable nitrilase catalysed production of nicotinic acid from 3-cyanopyridine, 718
Immobilized enzyme
Enzymatic synthesis of fatty esters. Part I. Kinetic approach, 584
Immunoaffinity immobilization
Immobilization of the restriction endonuclease *Eco*RI: usefulness of a polyclonal antibody support, 172
Inducible
Production, purification and characterization of an extracellular lipase from *Mucor hiemalis f. hiemalis*, 80
Induction
The effect of culture aging, cyanide concentration and induction time on formamide hydro-lyase activity of *Fusarium oxysporum* CCMI 876, 736
Induction of anthocyanin synthesis
Induction of anthocyanin synthesis in nonpigmented grape cell suspensions by acting on DFR substrate availability or precursors level, 316
Inhibition
Modeling the role of metabolic intermediates in kinetics of phenol biodegradation, 177
myo-Inositol
Effect of immobilization on pH and thermal stability of *Aspergillus ficuum* phytase, 517
δ-Integration
δ-Integration of endo/exo-glucanase and β-glucosidase genes into the yeast chromosomes for direct conversion of cellulose to ethanol, 23
Interfacial inactivation
Modeling of the kinetic resolution of α-methylbenzylamine with ω-transaminase in a two-liquid-phase system, 426

Interfacial polarization
The dielectric properties of biological cells at radiofrequencies: applications in biotechnology, 161
Iron-limitation
The coupling between catabolism and anabolism of *Methanobacterium thermoautotrophicum* in H_2- and iron-limited continuous cultures, 784
Isopropyl palmitate
Enzymatic synthesis of fatty esters. Part I. Kinetic approach, 584
Enzymatic synthesis of fatty esters. Part II. Optimization studies, 591

Kalman filter
Fed-batch production of a soluble β-1,4-galactosyltransferase with *Saccharomyces cerevisiae*, 201
Kidney cortex
Isolation and partial characterization of dipeptidyl peptidase IV from ostrich kidney, 576
Kinetic model
Kinetic model for anaerobic digestion of livestock manure, 55
Modeling the role of metabolic intermediates in kinetics of phenol biodegradation, 177
Kinetic modeling
Enzymatic synthesis of fatty esters. Part I. Kinetic approach, 584
Unstructured kinetic model for sophorolipid production by *Candida bombicola*, 613
Kinetic resolution
Modeling of the kinetic resolution of α-methylbenzylamine with ω-transaminase in a two-liquid-phase system, 426
Kraft pulp
Effects of the laccase-mediator system on the handsheet properties of two high kappa kraft pulps, 125

Laccase
Characterization of a *Coprinus cinereus* laccase, 502
Effects of the laccase-mediator system on the handsheet properties of two high kappa kraft pulps, 125
Laccase catalyzed-oxidative coupling of 3-methyl 2-benxothiazolinone hydrazone and methoxyphenols, 285
Lactic acid
Part I. Enzymatic synthesis of lactate and glycolate esters of fatty alcohols, 745
Part II. Two enzymatic procedures for the selective synthesis of malic acid monoesters, 753
Lactic acid bacteria
Study of the effects of temperature, pH, NaCl, and α_w on the proteolytic and lipolytic activities of cheese-related lactic acid by quadratic response surface methodology, 795
LCST
Synthesis and characterization of thermally reversible bioconjugates composed of α-chymotrypsin and poly(*N*-isopropylacrylamide-co-acrylamido-2-deoxy-D-glucose), 31
Levan
Overproduction of levan in *Zymomonas mobilis* by using cloned *sacB* gene, 109
Levansucrase
Overproduction of levan in *Zymomonas mobilis* by using cloned *sacB* gene, 109
Lignin peroxidase
Solvent effects on ligninases, 15
Lignocellulose degradation
Optimization of extracellular lignocellulolytic enzyme production by a thermophilic actinomycete *Thermomonospora fusca* BD25, 38
Lipase
Characterization of the lipase and esterase multiple forms in an enzyme preparation from a *Candida rugosa* pilot-plant scale fed-batch fermentation, 214
Comparative selectivities of immobilized lipases from *Pseudomonas cepacia* and *Candida antarctica* (fraction B) for esterification reactions with glycerol and glycerol analogues in organic media, 290
Continuous enzymatic transesterification of high oleic sunflower oil in a packed bed reactor: influence of the glycerol production, 194
Enantioselective synthesis of (S)-suprofen ester prodrugs by lipase in cyclohexane, 682
Enzymatic synthesis of dimeric and trimeric sugar-fatty acid esters, 264
Kinetic resolution of 1-phenyl ethanol with high enantioselectivity with native and immobilized lipase in organic solvents, 303
Lipase-catalyzed solid-phase synthesis of sugar fatty acid esters. Removal of byproducts by azeotropic distillation, 725
Part I. Enzymatic synthesis of lactate and glycolate esters of fatty alcohols, 745
Part II. Two enzymatic procedures for the selective synthesis of malic acid monoesters, 753
Purification and properties of extracellular lipase from *Streptomyces rimosus*, 522
Lipase activity
Lipase activity in *Streptomycetes*, 569
Lipases
Effect of chemical modification on the activity of lipases in organic solvents, 622
Lipolytic enzymes
Study of the effects of temperature, pH, NaCl, and α_w on the proteolytic and lipolytic activities of cheese-related lactic acid by quadratic response surface methodology, 795
Lipozyme
Optimization of enzymatic transesterification of rapeseed oil ester using response surface and principal component methodology, 236
Livestock manure
Kinetic model for anaerobic digestion of livestock manure, 55

Maintenance
The coupling between catabolism and anabolism of *Methanobacterium thermoautotrophicum* in H_2- and iron-limited continuous cultures, 784
Effect of chromium(VI) on the biomass yield of activated sludge, 48
Maltogenic amylase
Comparison of the action pattern of two high maltose-forming α-amylases on linear maltooligosaccharides, 330
Mannoproteins
Components of the bioemulsifier from *S. cervisiae*, 96
β-Mannosidase
Enzymatic activity and β-galactomannan binding property of β-mannosidase from *Trichoderm reesei*, 372
Mass transfer
Influence of sparger on energy dissipation, shear rate, and mass transfer to sea water in a concentric-tube airlift bioreactor, 820
Mediator
Effects of the laccase-mediator system on the handsheet properties of two high kappa kraft pulps, 125
Metabolic intermediates
Modeling the role of metabolic intermediates in kinetics of phenol biodegradation, 177
Metal-chelate chromatography
Engineering the D-amino acid oxidase from *Trigonopsis variabilis* to facilitate its overproduction in *Escherichia coli* and its downstream processing by tailor-made metal chelate supports, 88
Metal removal
Removal of chromium ions by agar immobilized cells of the cyanobacterium *Anacystis nidulans* in a continuous flow bioreactor, 564
Meta pathway
Growth of *Ralstonia eutropha* on inhibitory concentrations of phenol: diminished growth can be attributed to hydrophobic perturbation of phenol hydroxylase activity, 271
Methanobacterium thermoautotrophicum
The coupling between catabolism and anabolism of *Methanobacterium thermoautotrophicum* in H_2- and iron-limited continuous cultures, 784
Methoxyphenols
Laccase catalyzed-oxidative coupling of 3-methyl 2-benxothiazolinone hydrazone and methoxyphenols, 285
3-Methyl-2-benzothiazolinone hydrazone
Laccase catalyzed-oxidative coupling of 3-methyl 2-benxothiazolinone hydrazone and methoxyphenols, 285
Microbial β-*N*-acetylhexosaminidase
Microbial β-*N*-acetylhexosaminidases and their biotechnological applications, 3
MLR
Optimization of enzymatic transesterification of rapeseed oil ester using response surface and principal component methodology, 236
Modeling
Modeling of the kinetic resolution of α-methylbenzylamine with ω-transaminase in a two-liquid-phase system, 426
Molecular weight distribution
Characterization of neutral xylanases from *Chaetomium cellulolyticum* and their biobleaching effect on eucalyptus pulp, 651
Morphology
The influence of glucose concentration on citric acid production and morphology of *Aspergillus niger* in batch and culture, 710
Mucor hiemalis f. hiemalis
Production, purification and characterization of an extracellular lipase from *Mucor hiemalis f. hiemalis*, 80

Multimerisation
Characterization of recombinant acetolactate synthase from *Leuconostoc lactis* NCW1, 61

Nematode
Oxygenated perfluorocarbon promotes nematode growth and stress-sensitivity in a two-phase liquid culture system, 349
Neurospora crassa
Cellulase production by *Neurospora crassa* on wheat straw, 244
Neutral
Characterization of neutral xylanases from *Chaetomium cellulolyticum* and their biobleaching effect on eucalyptus pulp, 651
Nicotinic acid
Thermostable nitrilase catalysed production of nicotinic acid from 3-cyanopyridine, 718
Nitrate metabolism
The production of Surfactin in batch culture by *Bacillus subtilis* ATCC 21332 is strongly influenced by the conditions of nitrogen metabolism, 322
Nitrilase
Thermostable nitrilase catalysed production of nicotinic acid from 3-cyanopyridine, 718
Nitrile
Thermostable nitrilase catalysed production of nicotinic acid from 3-cyanopyridine, 718
Nonaqueous media
Biocatalysis in organic media using enzymes from extremophiles, 471
Nonconventional media
Part I. Enzymatic synthesis of lactate and glycolate esters of fatty alcohols, 745
Part II. Two enzymatic procedures for the selective synthesis of malic acid monoesters, 753
Non-starter lactic acid bacteria
Study of the effects of temperature, pH, NaCl, and α_w on the proteolytic and lipolytic activities of cheese-related lactic acid by quadratic response surface methodology, 795

Oligosaccharides
Xylanase–oligosaccharide interactions studied by a competitive enzyme assay, 701
On-line
Catalase activity measurements in suspended aerobic biomass and soil samples, 669
Optical properties
Effects of the laccase-mediator system on the handsheet properties of two high kappa kraft pulps, 125
Optimase M-440
Protease-catalyzed synthesis of disaccharide amino acid esters in organic media, 455
Optimization
Enzymatic synthesis of fatty esters. Part II. Optimization studies, 591
Optimization and kinetic analysis of cholesterol oxidase production by *Rhodococcus equi* no. 23 in submerged cultures, 598
Optimization of butylgalactoside synthesis by β-galactosidase from *Aspergillus oryzae*, 208
Organic solvent
Continuous enzymatic transesterification of high oleic sunflower oil in a packed bed reactor: influence of the glycerol production, 194
Hydroxynitrile lyase-catalyzed synthesis of cyanohydrins in organic solvents: parameters influencing activity and enantiospecificity, 384
Kinetically controlled syntheses catalyzed by proteases in reverse micelles and separation of precursor dipeptides of RGD, 310
Kinetic resolution of 1-phenyl ethanol with high enantioselectivity with native and immobilized lipase in organic solvents, 303
Solvent effects on ligninases, 15
Organic solvents
Biocatalysis in organic media using enzymes from extremophiles, 471
Effect of chemical modification on the activity of lipases in organic solvents, 622
Interaction of penicillin V acylase with organic solvents: catalytic activity modulation on the hydrolysis of penicillin V, 378
Protease-catalyzed synthesis of disaccharide amino acid esters in organic media, 455
Organophosphate chemical warfare agents
Study on reactivation of enzyme-inhibitor complexes by oximes using acetylcholine esterase inhibited by organophosphate chemical warfare agents, 400
Ostrich
Isolation and partial characterization of dipeptidyl peptidase IV from ostrich kidney, 576
Oxidative coupling reaction
Laccase catalyzed-oxidative coupling of 3-methyl 2-benxothiazolinone hydrazone and methoxyphenols, 285
Oximes
Study on reactivation of enzyme-inhibitor complexes by oximes using acetylcholine esterase inhibited by organophosphate chemical warfare agents, 400
Oxygen
Oxygenated perfluorocarbon promotes nematode growth and stress-sensitivity in a two-phase liquid culture system, 349
Oxygen starvation
Response of *Penicillium chrysogenum* to oxygen starvation in glucose- and nitrogen-limited chemostat cultures, 447

Palm fruit
Production, purification and characterization of an extracellular lipase from *Mucor hiemalis f. hiemalis*, 80
Paper pulp
Optimization of extracellular lignocellulolytic enzyme production by a thermophilic actinomycete *Thermomonospora fusca* BD25, 38
Parasexual crosses
Pectinase production by a diploid construct from two *Aspergillus niger* overproducing mutants, 103
Patent reports, 153, 463, 543, 632, 774, 777, 780, 831
PCA
Optimization of enzymatic transesterification of rapeseed oil ester using response surface and principal component methodology, 236
Pectinase overproduction
Pectinase production by a diploid construct from two *Aspergillus niger* overproducing mutants, 103
Pectinases
Application of Doehlert designs for water activity, pH, and fermentation time optimization for *Aspergillus niger* pectinolytic activities production in solid-state and submerged fermentation, 411
Pectolytic enzymes
Performance of pectolytic enzymes during hydrolysis of pectic substances under assay conditions: a statistical approach, 116
Penicillin G
Inactivation of deacetoxycephalosporin C synthase in extracts of *Streptomyces clavuligerus* during bioconversion of penicillin G to deacetoxycephalosporin G, 497
Penicillin V acylase
Interaction of penicillin V acylase with organic solvents: catalytic activity modulation on the hydrolysis of penicillin V, 378
Penicillium chrysogenum
Response of *Penicillium chrysogenum* to oxygen starvation in glucose- and nitrogen-limited chemostat cultures, 447
Peptide digestion
Preparation, characterization and application of immobilized carboxypeptidase A, 73
Perfluorocarbon
Oxygenated perfluorocarbon promotes nematode growth and stress-sensitivity in a two-phase liquid culture system, 349
Peroxidase
Assessment of soluble products of peroxidase-catalyzed polymerization of aqueous phenol, 185
Optimization of extracellular lignocellulolytic enzyme production by a thermophilic actinomycete *Thermomonospora fusca* BD25, 38
pH
Causes of alkalinization in tempe solid substrate fermentation, 677
Phanerochaete chrysosporium
Purification and characterization of superoxide dismutase from *Phanerochaete chrysosporium*, 392
Phanerochaete chrysosporium
Transformation of wheat straw in the course of solid-state fermentation by four ligninolytic basidiomycetes, 605
Phenol
Assessment of soluble products of peroxidase-catalyzed polymerization of aqueous phenol, 185
Continuous degradation of phenol at low concentration using immobilized *Pseudomonas putida*, 530
Immobilization of polyphenol oxidase on chitosan-coated polysulphone capillary membranes for improved phenolic effluent bioremediation, 769
Phenol biodegradation
Determination of the effective diffusion coefficient of phenol in Ca-alginate-immobilized *P. putida* beads, 344
Modeling the role of metabolic intermediates in kinetics of phenol biodegradation, 177

Phenol hydroxylase
Growth of *Ralstonia eutropha* on inhibitory concentrations of phenol: diminished growth can be attributed to hydrophobic perturbation of phenol hydroxylase activity, 271
Phenol inhibition
Growth of *Ralstonia eutropha* on inhibitory concentrations of phenol: diminished growth can be attributed to hydrophobic perturbation of phenol hydroxylase activity, 271
Phlebia radiata
Transformation of wheat straw in the course of solid-state fermentation by four ligninolytic basidiomycetes, 605
Photo-cross-linkable resins
Kinetic resolution of 1-phenyl ethanol with high enantioselectivity with native and immobilized lipase in organic solvents, 303
Photoelectrochemical cell
A photoelectrochemical cell for detecting pollutant-induced effects on the activity of immobilized cyanobacterium *Synechococcus* sp. PCC 7942, 230
pH stability
Characterization of neutral xylanases from *Chaetomium cellulolyticum* and their biobleaching effect on eucalyptus pulp, 651
Phytase
Effect of immobilization on pH and thermal stability of *Aspergillus ficuum* phytase, 517
Pi deficiency
Induction of anthocyanin synthesis in nonpigmented grape cell suspensions by acting on DFR substrate availability or precursors level, 316
Pilot-plant scale
Characterization of the lipase and esterase multiple forms in an enzyme preparation from a *Candida rugosa* pilot-plant scale fed-batch fermentation, 214
Plastein
Use of NMR and mass spectrometry to detect and quantify protease-catalyzed peptide bond formation in complex mixtures, 357
Pleurotus eryngii
Transformation of wheat straw in the course of solid-state fermentation by four ligninolytic basidiomycetes, 605
PLS
Optimization of enzymatic transesterification of rapeseed oil ester using response surface and principal component methodology, 236
Pollutant
A photoelectrochemical cell for detecting pollutant-induced effects on the activity of immobilized cyanobacterium *Synechococcus* sp. PCC 7942, 230
Polyacrylamide type
Preparation, characterization and application of immobilized carboxypeptidase A, 73
Polyhydroxyalkanoate
Fermentation optimization for the production of poly(β-hydroxybutyric acid) microbial thermoplastic, 132
Polyhydroxybutyrate
Fermentation optimization for the production of poly(β-hydroxybutyric acid) microbial thermoplastic, 132
Poly(β-hydroxybutyric acid)
Fermentation optimization for the production of poly(β-hydroxybutyric acid) microbial thermoplastic, 132
Polyhydroxystyrene
Enzymatic modification of the synthetic polymer polyhydroxystyrene, 660
Poly(*N*-isopropylacrylamide)
Synthesis and characterization of thermally reversible bioconjugates composed of α-chymotrypsin and poly(*N*-isopropylacrylamide-co-acrylamido-2-deoxy-D-glucose), 31
Polyols
Optimization of enzymatic transesterification of rapeseed oil ester using response surface and principal component methodology, 236
Polyphenol oxidase
Immobilization of polyphenol oxidase on chitosan-coated polysulphone capillary membranes for improved phenolic effluent bioremediation, 769
Polysulphone capillary membranes
Immobilization of polyphenol oxidase on chitosan-coated polysulphone capillary membranes for improved phenolic effluent bioremediation, 769
Poly(vinylalcohol)
A photoelectrochemical cell for detecting pollutant-induced effects on the activity of immobilized cyanobacterium *Synechococcus* sp. PCC 7942, 230
Principal component analysis
Solvent effects on ligninases, 15
Products
Assessment of soluble products of peroxidase-catalyzed polymerization of aqueous phenol, 185
Properties
Preparation, characterization and application of immobilized carboxypeptidase A, 73
Protease
Use of NMR and mass spectrometry to detect and quantify protease-catalyzed peptide bond formation in complex mixtures, 357
Proteases
Kinetically controlled syntheses catalyzed by proteases in reverse micelles and separation of precursor dipeptides of RGD, 310
Production and characterization of metalloproteases synthesized concomitantly with δ-endotoxin by *Bacillus thuringiensis* subsp. *kurstaki* strain grown on gruel-based media, 364
Protein hydrolysate
Use of NMR and mass spectrometry to detect and quantify protease-catalyzed peptide bond formation in complex mixtures, 357
Protein modification
Enzymatic activities of proteases dissolved in organic solvents, 689
Proteolytic enzymes
Study of the effects of temperature, pH, NaCl, and α_w on the proteolytic and lipolytic activities of cheese-related lactic acid by quadratic response surface methodology, 795
Pseudomonas aeruginosa
Production of antifungal compounds by *Pseudomonas aeruginosa* K-187 using shrimp and crab shell powder as a carbon source, 142
Purification and characterization of a new antifungal compound produced by *Pseudomonas aeruginosa* K-187 in a shrimp and crab shell powder medium, 439
Pseudomonas cepacia lipase
Comparative selectivities of immobilized lipases from *Pseudomonas cepacia* and *Candida antarctica* (fraction B) for esterification reactions with glycerol and glycerol analogues in organic media, 290
Pseudomonas putida
Continuous degradation of phenol at low concentration using immobilized *Pseudomonas putida*, 530
Purification
Characterization of the lipase and esterase multiple forms in an enzyme preparation from a *Candida rugosa* pilot-plant scale fed-batch fermentation, 214
Exopolygalacturonate lyase from a thermophilic *Bacillus* sp., 420
Production, purification and characterization of an extracellular lipase from *Mucor hiemalis f. hiemalis*, 80
Purification of α-*N*-acetyl-galactosaminidase from *Aspergillus niger* and its use in the synthesis of GalNAc-α-(1→O)-serine, 483
Pyrococcus furiosus
Bioreduction of carboxylic acids by *Pyrococcus furiosus* in batch cultures, 251

Ralstonia eutropha
Growth of *Ralstonia eutropha* on inhibitory concentrations of phenol: diminished growth can be attributed to hydrophobic perturbation of phenol hydroxylase activity, 271
(R)-(+) and *(S)*-(−) ethyl 4,4,4-trifluoro-3-hydroxybutanoate
(R)-(+) and *(S)*-(−) ethyl 4,4,4-trifluoro-3-hydroxy butanoate by enantioselective Baker's yeast reduction, 149
Raw starch hydrolysis
Purification and characterization of two raw-starch-digesting thermostable α-amylases from a thermophilic *Bacillus*, 433
Reactivation
Study on reactivation of enzyme-inhibitor complexes by oximes using acetylcholine esterase inhibited by organophosphate chemical warfare agents, 400
Recombinant
Production of toluene *cis*-glycol using recombinant *Escherichia coli* strains in glucose-limited fed batch culture, 810
Redox potential
Characterization of a *Coprinus cinereus* laccase, 502
Regioselectivity
Enzymatic synthesis of dimeric and trimeric sugar-fatty acid esters, 264
Respiratory quotient (RQ)
Fed-batch production of a soluble β-1,4-galactosyltransferase with *Saccharomyces cerevisiae*, 201
Response surface
Enzymatic synthesis of fatty esters. Part II. Optimization studies, 591

Response surface methodology
Application of Doehlert designs for water activity, pH, and fermentation time optimization for *Aspergillus niger* pectinolytic activities production in solid-state and submerged fermentation, 411
Optimization of butylgalactoside synthesis by β-galactosidase from *Aspergillus oryzae*, 208
Study of the effects of temperature, pH, NaCl, and α_w on the proteolytic and lipolytic activities of cheese-related lactic acid by quadratic response surface methodology, 795
Restriction enzymes
Immobilization of the restriction endonuclease *Eco*RI: usefulness of a polyclonal antibody support, 172
Reverse micelles
Kinetically controlled syntheses catalyzed by proteases in reverse micelles and separation of precursor dipeptides of RGD, 310
Rhizopus oligosporus
Causes of alkalinization in tempe solid substrate fermentation, 677
Rhodococcus equi
Optimization and kinetic analysis of cholesterol oxidase production by *Rhodococcus equi* no. 23 in submerged cultures, 598
RSM
Optimization of enzymatic transesterification of rapeseed oil ester using response surface and principal component methodology, 236

sacB gene
Overproduction of levan in *Zymomonas mobilis* by using cloned *sacB* gene, 109
Saccharomyces
Emergence of *Saccharomyces cerevisiae* as a human pathogen: implications for biotechnology, 551
Saccharomyces cerevisiae
δ-Integration of endo/exo-glucanase and β-glucosidase genes into the yeast chromosomes for direct conversion of cellulose to ethanol, 23
Fed-batch production of a soluble β-1,4-galactosyltransferase with *Saccharomyces cerevisiae*, 201
Saccharopolyspora erythraea
Lipase activity in *Streptomycetes*, 569
α-L-arabinofuranosidase
Optimization of extracellular lignocellulolytic enzyme production by a thermophilic actinomycete *Thermomonospora fusca* BD25, 38
Sequence
Microbial β-*N*-acetylhexosaminidases and their biotechnological applications, 3
Sequential decoloration
Effects of glucose and NH_4^+ concentrations on sequential dye decoloration by *Trametes versicolor*, 278
Shear rate
Influence of sparger on energy dissipation, shear rate, and mass transfer to sea water in a concentric-tube airlift bioreactor, 820
Shrimp and crab shell waste
Production of antifungal compounds by *Pseudomonas aeruginosa* K-187 using shrimp and crab shell powder as a carbon source, 142
Shrimp and crab waste
Purification and characterization of a new antifungal compound produced by *Pseudomonas aeruginosa* K-187 in a shrimp and crab shell powder medium, 439
Sodium hydroxide
Thermo-chemical pretreatment of a microbial biomass: influence of sodium hydroxide addition on solubilization and anaerobic biodegradability, 258
Soils
Catalase activity measurements in suspended aerobic biomass and soil samples, 669
Solid phase synthesis
Lipase-catalyzed solid-phase synthesis of sugar fatty acid esters. Removal of byproducts by azeotropic distillation, 725
Solid-state fermentation
Application of Doehlert designs for water activity, pH, and fermentation time optimization for *Aspergillus niger* pectinolytic activities production in solid-state and submerged fermentation, 411
High-level xylanase production by an alkaliphilic *Bacillus* sp. by using solid-state fermentation, 68
Transformation of wheat straw in the course of solid-state fermentation by four ligninolytic basidiomycetes, 605
Solid substrate fermentation
Causes of alkalinization in tempe solid substrate fermentation, 677
Solubilization
Thermo-chemical pretreatment of a microbial biomass: influence of sodium hydroxide addition on solubilization and anaerobic biodegradability, 258
Sophorolipid production
Unstructured kinetic model for sophorolipid production by *Candida bombicola*, 613
Soybean
Causes of alkalinization in tempe solid substrate fermentation, 677
Sparger pore size
Influence of sparger on energy dissipation, shear rate, and mass transfer to sea water in a concentric-tube airlift bioreactor, 820
Specific surface area
The effect of fiber characteristics on hydrolysis and cellulase accessibility to softwood substrates, 644
Spectrophotometric determination
Spectrophotometric assay of α-acetolactate decarboxylase, 537
(S)-suprofen ester prodrugs
Enantioselective synthesis of (S)-suprofen ester prodrugs by lipase in cyclohexane, 682
Stability
Characterization of a *Coprinus cinereus* laccase, 502
Stable transformation
Optimization of transfection conditions for expression of green fluorescent protein in *Drosophila melanogaster* S2 cells, 558
Stimulation
Effect of chromium(VI) on the biomass yield of activated sludge, 48
Straw biopulping
Transformation of wheat straw in the course of solid-state fermentation by four ligninolytic basidiomycetes, 605
Strength properties
Effects of the laccase-mediator system on the handsheet properties of two high kappa kraft pulps, 125
Streptococcus faecalis
Development of an enzymatic system for the production of dopamine from catechol, pyruvate, and ammonia, 298
Streptomyces clavuligerus
Inactivation of deacetoxycephalosporin C synthase in extracts of *Streptomyces clavuligerus* during bioconversion of penicillin G to deacetoxycephalosporin G, 497
Streptomyces rimosus
Purification and properties of extracellular lipase from *Streptomyces rimosus*, 522
Streptomyces rubiginosus
Novel reactions of xylose isomerase from *Streptomyces rubiginosus*, 695
Streptomycetes
Lipase activity in *Streptomycetes*, 569
Submerged culture
Optimization and kinetic analysis of cholesterol oxidase production by *Rhodococcus equi* no. 23 in submerged cultures, 598
Submerged fermentation
Application of Doehlert designs for water activity, pH, and fermentation time optimization for *Aspergillus niger* pectinolytic activities production in solid-state and submerged fermentation, 411
Substrate specificity
Bioreduction of carboxylic acids by *Pyrococcus furiosus* in batch cultures, 251
Subtilisin
Enzymatic activities of proteases dissolved in organic solvents, 689
Protease-catalyzed synthesis of disaccharide amino acid esters in organic media, 455
Sugar ester
Enzymatic synthesis of dimeric and trimeric sugar-fatty acid esters, 264
Sulfolobus solfataricus
β-Galactooligosaccharide synthesis with β-galactosidases from *Sulfolobus solfataricus*, *Aspergillus oryzae*, and *Escherichia coli*, 509
Sunflower oil
Continuous enzymatic transesterification of high oleic sunflower oil in a packed bed reactor: influence of the glycerol production, 194
Superoxide anion radical
Purification and characterization of superoxide dismutase from *Phanerochaete chrysosporium*, 392
Superoxide dismutase
Purification and characterization of superoxide dismutase from *Phanerochaete chrysosporium*, 392
Support
Preparation, characterization and application of immobilized carboxypeptidase A, 73
Surfactant
Enzymatic synthesis of dimeric and trimeric sugar-fatty acid esters, 264
Lipase-catalyzed solid-phase synthesis of sugar fatty acid esters. Removal of byproducts by azeotropic distillation, 725

Surfactin
The production of Surfactin in batch culture by *Bacillus subtilis* ATCC 21332 is strongly influenced by the conditions of nitrogen metabolism, 322
Symbiobacterium
Development of an enzymatic system for the production of dopamine from catechol, pyruvate, and ammonia, 298
Synthesis
Enzymatic synthesis of dimeric and trimeric sugar-fatty acid esters, 264

Tempe
Causes of alkalinization in tempe solid substrate fermentation, 677
Tempeh
Causes of alkalinization in tempe solid substrate fermentation, 677
Temperature
An improved temperature-triggered process for gluatmate production with *Corynebacterium glutamicum*, 762
Thermo-chemical pretreatment
Thermo-chemical pretreatment of a microbial biomass: influence of sodium hydroxide addition on solubilization and anaerobic biodegradability, 258
Thermomonospora fusca
Optimization of extracellular lignocellulolytic enzyme production by a thermophilic actinomycete *Thermomonospora fusca* BD25, 38
Thermophile
Purification and characterization of two raw-starch-digesting thermostable α-amylases from a thermophilic *Bacillus*, 433
Thermostable nitrilase catalysed production of nicotinic acid from 3-cyanopyridine, 718
Thermophiles
β-Galactooligosaccharide synthesis with β-galactosidases from *Sulfolobus solfataricus, Aspergillus oryzae*, and *Escherichia coli*, 509
Thermophilic *Bacillus*
Purification and characterization of two raw-starch-digesting thermostable α-amylases from a thermophilic *Bacillus*, 433
Thermostable α-amylase
Purification and characterization of two raw-starch-digesting thermostable α-amylases from a thermophilic *Bacillus*, 433
Thermostable enzyme
Exopolygalacturonate lyase from a thermophilic *Bacillus* sp., 420
Thermostable xylanase
High-level xylanase production by an alkaliphilic *Bacillus* sp. by using solid-state fermentation, 68
Toluene *cis*-glycol
Production of toluene *cis*-glycol using recombinant *Escherichia coli* strains in glucose-limited fed batch culture, 810
Toluene dioxygenase
Production of toluene *cis*-glycol using recombinant *Escherichia coli* strains in glucose-limited fed batch culture, 810
Toxicity
Assessment of soluble products of peroxidase-catalyzed polymerization of aqueous phenol, 185
Trametes versicolor
Effects of glucose and NH_4^+ concentrations on sequential dye decoloration by *Trametes versicolor*, 278
ω-Transaminase
Modeling of the kinetic resolution of α-methylbenzylamine with ω-transaminase in a two-liquid-phase system, 426
Transesterification
Continuous enzymatic transesterification of high oleic sunflower oil in a packed bed reactor: influence of the glycerol production, 194
Enantioselective synthesis of (S)-suprofen ester prodrugs by lipase in cyclohexane, 682
Transgalactosylation
Regioselective synthesis of galactosyl-derivatives using exo-(1,4)-β-D-galactanase, galactan, and nonsugar acceptors, 224
Transient expression
Optimization of transfection conditions for expression of green fluorescent protein in *Drosophila melanogaster* S2 cells, 558
Transpeptidation
Use of NMR and mass spectrometry to detect and quantify protease-catalyzed peptide bond formation in complex mixtures, 357
Trichoderma reesei
Enzymatic activity and β-galactomannan binding property of β-mannosidase from *Trichoderm reesei*, 372
Trigonopsis variabilis
Engineering the D-amino acid oxidase from *Trigonopsis variabilis* to facilitate its overproduction in *Escherichia coli* and its downstream processing by tailor-made metal chelate supports, 88
Two-liquid-phase system
Biotransformations in two-liquid-phase systems. Production of phenylacetaldehyde by oxidation of 2-phenylethanol with acetic acid bacteria, 729
Tyrosinase
Enzymatic modification of the synthetic polymer polyhydroxystyrene, 660
Tyrosine decarboxylase
Development of an enzymatic system for the production of dopamine from catechol, pyruvate, and ammonia, 298
Tyrosine phenol-lyase
Development of an enzymatic system for the production of dopamine from catechol, pyruvate, and ammonia, 298

Uncoupling
The coupling between catabolism and anabolism of *Methanobacterium thermoautotrophicum* in H_2- and iron-limited continuous cultures, 784

Vitis vinifera
Induction of anthocyanin synthesis in nonpigmented grape cell suspensions by acting on DFR substrate availability or precursors level, 316

Waste treatment
Assessment of soluble products of peroxidase-catalyzed polymerization of aqueous phenol, 185
Water activity
Continuous enzymatic transesterification of high oleic sunflower oil in a packed bed reactor: influence of the glycerol production, 194
Wheat bran
High-level xylanase production by an alkaliphilic *Bacillus* sp. by using solid-state fermentation, 68
Wheat straw
Cellulase production by *Neurospora crassa* on wheat straw, 244
White rot fungi
Effects of glucose and NH_4^+ concentrations on sequential dye decoloration by *Trametes versicolor*, 278

Xylanase
Characterization of neutral xylanases from *Chaetomium cellulolyticum* and their biobleaching effect on eucalyptus pulp, 651
Xylanase–oligosaccharide interactions studied by a competitive enzyme assay, 701
Xylose isomerase
Novel reactions of xylose isomerase from *Streptomyces rubiginosus*, 695
β-Xylosidase
Optimization of extracellular lignocellulolytic enzyme production by a thermophilic actinomycete *Thermomonospora fusca* BD25, 38

Yeast reduction
(R)-(+) and *(S)*-(−) ethyl 4,4,4-trifluoro-3-hydroxy butanoate by enantioselective Baker's yeast reduction, 149

Zymomonas mobilis
Overproduction of levan in *Zymomonas mobilis* by using cloned *sacB* gene, 109